



**HIGH MILEAGE Floor Finish**

HMIS	NFPA	Personal protective equipment
Health	1	None / Aucune / Ninguno
Fire Hazard	0	
Reactivity	0	

Version Number: 0

Preparation date: 2011-04-21

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** HIGH MILEAGE Floor Finish  
**MSDS #:** MS0300817  
**Product Code:** 5104811, 5109638  
**Recommended use:** Industrial/Institutional. Floor care.

**Manufacturer, importer, supplier:**  
 US Headquarters  
 Diversey, Inc.  
 8310 16th St.  
 Sturtevant, Wisconsin 53177-1964  
 Phone: 1-888-352-2249  
 MSDS Internet Address: www.diversey.com

Canadian Headquarters  
 Diversey, Inc. - Canada, Inc.  
 2401 Bristol Circle  
 Oakville, Ontario L6H 6P1  
 Phone: 1-800-668-3131

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

**Principal routes of exposure:** Skin contact. Inhalation. Eye contact.  
**Eye contact:** May be mildly irritating to eyes.  
**Skin contact:** May be mildly irritating to skin.  
**Inhalation:** None  
**Ingestion:** None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether	111-90-0	5 - 10%	5500	4200 µL/kg	>5240 mg/m <sup>3</sup> (4 h)

**4. FIRST AID MEASURES**

**Eye contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.  
**Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.  
**Inhalation:** No specific first aid measures are required.  
**Ingestion:** No specific first aid measures are required.  
**Aggravated Medical Conditions:** None known

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.  
**Specific hazards:** Not applicable  
**Unusual hazards:** None known  
**Specific methods:** No special methods required

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear  
**Extinguishing media which must not be used for safety reasons:** No information available

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Use personal protective equipment  
**Environmental precautions and clean-up methods:** No information available

## 7. HANDLING AND STORAGE

**Handling:**  
Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.  
**Storage:**  
Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures to reduce exposure:**  
No special ventilation requirements General room ventilation is adequate

### Personal Protective Equipment

<b>Eye protection:</b>	No special requirements under normal use conditions.
<b>Hand protection:</b>	No special requirements under normal use conditions
<b>Skin and body protection:</b>	No special requirements under normal use conditions.
<b>Respiratory protection:</b>	No special requirements under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b> Liquid	<b>Bulk density:</b> No information available
<b>Appearance:</b> Aqueous solution	<b>Evaporation Rate:</b> No information available
<b>Specific gravity:</b> 1.033	<b>Color:</b> Milky White
<b>Vapor density:</b> No information available	<b>Odor:</b> Characteristic
<b>Boiling point/range:</b> Not determined	<b>Melting point/range:</b> Not determined
<b>Decomposition temperature:</b> Not determined	<b>Autoignition temperature:</b> No information available
<b>Solubility:</b> Completely Soluble	<b>Density:</b> 8.59 lbs/gal 1.03 Kg/L
<b>Solubility in other solvents:</b> No information available	<b>Flash point:</b> > 200 °F > 93.4 °C
<b>Partition coefficient (n-octanol/water):</b> No information available	<b>Viscosity:</b> No information available
<b>Elemental Phosphorus:</b> 0.17 % by wt.	<b>VOC:</b> 0.95 % *
<b>pH:</b> 8.3	<b>Dilution pH:</b> 8.3 @ 1:0
<b>Explosion limits: - upper:</b> Not determined - <b>lower:</b> Not determined	

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	The product is stable
<b>Polymerization:</b>	Hazardous polymerization does not occur
<b>Hazardous decomposition products:</b>	None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity:</b>	Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
<b>Component information:</b>	See Section 3
<b>Chronic toxicity:</b>	None known
<b>Specific effects</b>	
<b>Carcinogenic effects:</b>	None known
<b>Mutagenic effects:</b>	None known

HIGH MILEAGE Floor Finish

2 of 4

Reproductive toxicity: None known  
 Target organ effects: None known

**12. ECOLOGICAL INFORMATION**

Environmental Information: No data available

**13. DISPOSAL CONSIDERATIONS**

Waste from residues / unused products:  
 Dispose of according to all federal, state and local applicable regulations

**14. TRANSPORT INFORMATION**

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

IMDG Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

**15. REGULATORY INFORMATION**

International Inventories at CAS# Level  
 All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations  
 California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Diethylene glycol monoethyl ether	111-90-0	-	-	-	-
Water	7732-18-5	-	-	-	-
Tributoxyethyl phosphate	78-51-3	-	-	-	-
Zinc oxide	1314-13-2	X	X	X	X
2-Methyl-2-propenoic acid polymer with ethenylbenzene, methyl 2-methyl-2-propenoate and 2-methylpropyl 2-methyl-2-propenoate	38298-19-0	-	-	-	-
Tridecyl alcohol ethoxylated phosphate, sodium salt	68186-29-8	-	-	-	-
@NAME	TS*	-	-	-	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	5 - 10%			X
Zinc oxide	1314-13-2	< 0.1%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

**SARA 311/312 Hazard Categories**

Immediate: -  
 Delayed: -  
 Fire: -  
 Reactivity: -  
 Sudden Release of Pressure: -

Canada  
 WHMIS hazard class: Non-controlled

HIGH MILEAGE Floor Finish

## 16. OTHER INFORMATION

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:** None

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*